


We claim:

1. A compound of the formula:



wherein:

5 R1 is selected from the group consisting of alkyl and alkyl substituted with hydroxy or alkoxy;

R2, R3 and R4 are each independently selected from the group consisting of hydrogen and alkyl;


10 R5 and R6 are each independently selected from the group consisting of hydrogen, alkyl and hydroxyalkyl,

n is from 1 to 3;

Z is -A-NHCH3, or when R1 is hydroxy or alkoxy substituted alkyl and/or when R3 is loweralkyl, or Z is hydroxy-C2-5-alkylamino;

A is:

15



wherein

R7 is H or alkyl;

R8 is H, alkyl, or alkyl substituted by hydroxy or alkoxy;

or together R7 and R8 form a propylene or hydroxypropylene ring;


20 m is 0 or 1;

R9 and R10 are each independently H or alkyl; or R9 and R10 together form C4-C8 alkylene which is unsubstituted or substituted from one to three times with alkyl or hydroxy;

R11 is amino or guanidino;

o is from two to six;  
or a physiologically acceptable salt thereof.

2. A compound according to claim 1, wherein R<sub>3</sub> and R<sub>4</sub> are each hydrogen.
3. A compound according to claim 1, wherein R<sub>12</sub> is hydrogen and R<sub>5</sub> is alkyl.
4. A compound according to claim 1, wherein n is 1.
5. A compound according to claim 1, wherein R<sub>1</sub> is alkyl.
6. A compound according to claim 1, wherein R<sub>2</sub> is alkyl.
7. A compound according to claim 1, wherein Z is -NCH<sub>2</sub>CH<sub>2</sub>OH.
8. A compound according to claim 1, wherein o is 4.
9. A compound according to claim 1, wherein R<sub>11</sub> is amino.
10. A compound according to claim 1, wherein R<sub>9</sub> and R<sub>10</sub> together form C<sub>5</sub> alkylene, which alkylene is unsubstituted or substituted once with alkyl.
11. A compound of the formula:



25

wherein:

R1 is selected from the group consisting of alkyl and alkyl substituted with hydroxy or alkoxy;

R2 is selected from the group consisting of hydrogen and alkyl;

5 R5 and R6 are each independently is selected from the group consisting of hydrogen, alkyl and hydroxyalkyl,

R9 and R10 are each independently H or alkyl; or R9 and R10 together form C4-C8 alkylene which is unsubstituted or substituted from one to three times with alkyl or hydroxy;

R11 is amino or guanidino;

10 o is from two to six;  
or a physiologically acceptable salt thereof.

12. A compound according to claim 11, wherein R<sub>1</sub> is alkyl, which is unsubstituted or substituted with hydroxy.  
15

13. A compound according to claim 11, wherein R<sub>2</sub> is hydrogen.

14. A compound according to claim 11, wherein R<sub>12</sub> is hydrogen and R<sub>5</sub> is alkyl.  
20

15. A compound according to claim 11, wherein o is 4.

16. A compound according to claim 1, wherein R<sub>11</sub> is amino.

25 17. A compound according to claim 1, wherein R<sub>9</sub> and R<sub>10</sub> together form C5 alkylene, which alkylene is unsubstituted or substituted once with alkyl.